



LIMITED
50
YEAR
WARRANTY

Location:

Limited Warranty. Premier Building Systems, hereby warrants that for a period of fifty (50) years, commencing with the date of delivery (the "Warranty Period"), that the Insulation's thermal resistance will not vary by more than ten (10) percent from the minimum R-value identified in ASTM C578. If, during the Warranty Period, the Insulation is determined by sampling and testing (conducted as provided below) not to meet warranty value, then Premier Building Systems will either deliver to the owner ("Owner") of the building on which the Insulation was initially installed a quantity of equivalent R-Shield product to replace the non-performing Insulation or, at Premier Building System's sole discretion, refund to the Owner the original purchase price of the non-performing Insulation. Premier Building System's maximum liability for any warranty claim shall not exceed the original purchase price of the Insulation.

THE WARRANTY SET FORTH HEREIN IS IN LIEU OF ALL OTHER GUARANTEES AND/OR WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND THIS WARRANTY SHALL NOT BE EXTENDED OR ALTERED EXCEPT BY A WRITTEN INSTRUMENT SIGNED BY PREMIER BUILDING SYSTEMS AND THE OWNER. THERE ARE NO WARRANTIES AND/OR GUARANTEES WHICH EXTEND BEYOND THE TERMS AND PROVISIONS SET FORTH IN THIS WARRANTY.

Conditions. Premier Building System's obligations under this Warranty will only take effect if the Insulation was installed in strict accordance with all applicable R-Shield specifications, recommendations and guidelines which were in effect at the time of such installation and all invoices for the R-Shield insulation have been paid in full. This Warranty shall be void if, in Premier Building System's sole judgment, the Insulation's performance has been impaired by either damage or alterations to the Insulation without obtaining Premier Building System's prior written approval.

Exclusions. Premier Building Systems does not warrant the compatibility of any other product (including but not limited to any roofing membrane or coatings) with the Insulation, and does not assume any liability for any incidental, consequential, exemplary, special or punitive damages, including (but not limited to) incremental heating, cooling or similar costs and any other harm to persons or property.

Sampling and Testing. All sampling shall be conducted in accordance with sampling procedures prescribed by Premier Building Systems, and samples of the Insulation shall only be taken in the presence of an authorized Premier Building Systems representative. Testing of Insulation samples shall be in accordance with ASTM Test Method C518 or C177, or the then closest Premier Building System's approved effective equivalent thereof. Insulation samples shall be conditioned to equilibrium at 73°F/50% RH prior to testing. All sampling and testing costs (including but not limited to costs of Insulation covering removal and replacement) shall be at the Owner's sole expense.



LIMITED
10
YEAR
WARRANTY

Location:

Limited Warranty. Premier Building Systems hereby warrants that for a period of ten (10) years, commencing with the date of delivery (the "Warranty Period"), that the Geofoam product will maintain 90% of its ASTM D6817 Compressive Resistance at 1%. If, during the Warranty Period, the Geofoam is determined by sampling and testing (conducted as provided below) not to meet warranty value, Premier Building System will either deliver to the owner ("Owner") of the project on which the Geofoam was initially installed a quantity of equivalent R-Shield Geofoam product to replace the non-performing Geofoam or, at Premier Building System's sole discretion, refund to the Owner the original purchase price of the non-performing Geofoam. Premier Building System's maximum liability for any warranty claim shall not exceed the original purchase price of the Geofoam.

THE WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND/OR WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND SHALL NOT BE EXTENDED OR ALTERED EXCEPT BY WRITTEN INSTRUMENT SIGNED BY PREMIER BUILDING SYSTEMS AND THE OWNER. THERE ARE NO WARRANTIES AND/OR GUARANTEES WHICH EXTEND BEYOND THE TERMS AND PROVISIONS SET FORTH IN THIS WARRANTY.

Conditions. Premier Building System's obligations under this Warranty will only take effect if the Geofoam was installed in strict accordance with all applicable R-Shield Geofoam specifications, recommendations and guidelines which were in effect at the time of such installation and all invoices for the Geofoam have been paid in full. This Warranty shall be void if, in Premier Building System's sole judgment, the Geofoam's performance has been impaired by either damage or alterations to the Geofoam without obtaining prior written approval from Premier Building Systems.

Exclusions. Premier Building Systems does not warrant the compatibility of any other product (including but not limited to any membranes or coatings) with the Geofoam, and does not assume any liability for any incidental, consequential, exemplary, special or punitive damages, including (but not limited to) incremental costs and any other harm to persons or property.

Sampling and Testing. All sampling shall be conducted in accordance with sampling procedures prescribed by Premier Building Systems, and samples of the Geofoam shall only be taken in the presence of an authorized Premier Building Systems representative. Testing of Geofoam samples shall be in accordance with ASTM D6817, or the then closest Premier Building System's approved effective equivalent thereof. Geofoam samples shall be conditioned to equilibrium prior to testing. All sampling and testing costs (including but not limited to costs of Geofoam covering removal and replacement) shall be at the Owner's sole expense.



LIMITED
20
YEAR
WARRANTY

Location:

Limited Warranty. Premier Building Systems hereby warrants that the R-Shield Nailbase Panels (referred to herein also as “Product”) will be free from defects in materials and workmanship on the date of final delivery to the Owner or the Owner’s authorized representative. For the purposes of this warranty, defects in materials and workmanship shall mean the following:

(a) Failure to provide lamination performance of the Product facing material to the expanded polystyrene core in accordance with the R-Shield Nailbase material specifications which were in effect at the time of delivery.

(b) Failure of expanded polystyrene core in the R-Shield Nailbase to meet minimum thermal resistance (“R-value”) requirement in accordance with ASTM C578 material specification in effect at the time of delivery.

The Limited Warranty set forth herein is effective on the date of final delivery of the Product to the Owner and expires twenty (20) years after such date (the “Warranty Period”).

If, during the Warranty Period, the R-Shield Nailbase is determined by sampling and testing (conducted as provided below) not to meet warranty value, Premier Building Systems will either deliver to the owner (“Owner”) of the building on which the R-Shield Nailbase was initially installed a quantity of equivalent Product to replace the non-performing Product or, at Premier Building System’s sole discretion, refund to the Owner the original purchase price of the non-performing Product. Premier Building System’s maximum liability for any warranty claim shall not exceed the original purchase price of the Product originally supplied to the Owner or the Owner’s authorized representative.

THE WARRANTY SET FORTH HEREIN IS IN LIEU OF ALL OTHER GUARANTEES AND/OR WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND THIS WARRANTY SHALL NOT BE EXTENDED OR ALTERED EXCEPT BY A WRITTEN INSTRUMENT SIGNED BY BIG SKY INSULSTIONS AND THE OWNER. THERE ARE NO WARRANTIES AND/OR GUARANTEES WHICH EXTEND BEYOND THE TERMS AND PROVISIONS SET FORTH IN THIS WARRANTY.

Conditions. Premier Building System’s obligations under this Warranty will only take effect if the Product is installed in strict accordance with all applicable R-Shield Nailbase specifications, recommendations and guidelines which were in effect at the time of such installation and all invoices for the R-Shield Nailbase have been paid in full. This Warranty shall be void if, in Premier Building System’s sole judgment, the Product performance has been impaired by either damage or alterations without obtaining the Premier Building System’s prior written approval.

Exclusions. Premier Building Systems does not warrant (a) compatibility of any other product (including but not limited to any roofing membrane, wall cladding, coating) with the Product, (b) moisture damage caused by inadequate design, performance or maintenance; (c) damage caused by natural disasters, or (d) damage caused by misuse or alterations. Premier Building Systems does not assume any liability for any incidental, consequential, exemplary, special or punitive damages, including (but not limited to) incremental heating, cooling or similar costs and any other harm to persons or property.

Sampling and Testing. All sampling shall be conducted in accordance with sampling procedures prescribed by Premier Building Systems, and samples of the Product shall only be taken in the presence of an authorized Premier Building Systems. Testing of expanded polystyrene samples shall be in accordance with ASTM Test Method C518 or C236, or the then closest Premier Building System’s approved effective equivalent thereof. Testing of Product samples shall be in accordance with the Premier Building System’s approved method, such as but not limited to ASTM Test Method C297. Expanded polystyrene and Product samples shall be conditioned to equilibrium prior to testing. All sampling and testing costs (including but not limited to costs of Insulation covering removal and replacement) shall be at the Owner’s sole expense.



LIMITED
50
YEAR
WARRANTY

Location:

Limited Warranty. Premier Building Systems hereby warrants that for a period of fifty (50) years, commencing with the date of delivery (the "Warranty Period"), that the Insulation's thermal resistance will not vary by more than ten (10) percent from the minimum R-value identified in ASTM C578. If, during the Warranty Period, the Insulation is determined by sampling and testing (conducted as provided below) not to meet warranty value, then Premier Building Systems will either deliver to the owner ("Owner") of the building on which the Insulation was initially installed a quantity of equivalent R-Shield PLUS+ product to replace the non-performing Insulation or, at Premier Building System's sole discretion, refund to the Owner the original purchase price of the non-performing Insulation. Premier Building System's maximum liability for any warranty claim shall not exceed the original purchase price of the Insulation.

THE WARRANTY SET FORTH HEREIN IS IN LIEU OF ALL OTHER GUARANTEES AND/OR WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND THIS WARRANTY SHALL NOT BE EXTENDED OR ALTERED EXCEPT BY A WRITTEN INSTRUMENT SIGNED BY PREMIER BUILDING SYSTEMS AND THE OWNER. THERE ARE NO WARRANTIES AND/OR GUARANTEES WHICH EXTEND BEYOND THE TERMS AND PROVISIONS SET FORTH IN THIS WARRANTY.

Conditions. Premier Building System's obligations under this Warranty will only take effect if the Insulation was installed in strict accordance with all applicable R-Shield PLUS+ specifications, recommendations and guidelines which were in effect at the time of such installation and all invoices for the R-Shield PLUS+ have been paid in full. This Warranty shall be void if, in Premier Building System's sole judgment, the Insulation's performance has been impaired by either damage or alterations to the Insulation without obtaining Premier Building System's prior written approval.

Exclusions. Premier Building Systems does not warrant the compatibility of any other product (including but not limited to any roofing membrane or coatings) with the Insulation, and does not assume any liability for any incidental, consequential, exemplary, special or punitive damages, including (but not limited to) incremental heating, cooling or similar costs and any other harm to persons or property.

Sampling and Testing. All sampling shall be conducted in accordance with sampling procedures prescribed by the Premier Building Systems, and samples of the Insulation shall only be taken in the presence of an authorized Premier Building Systems representative. Testing of Insulation samples shall be in accordance with ASTM Test Method C518 or C177, or the then closest Premier Building System's approved effective equivalent thereof. Insulation samples shall be conditioned to equilibrium at 73°F/50% RH prior to testing. All sampling and testing costs (including but not limited to costs of Insulation covering removal and replacement) shall be at the Owner's sole expense.



LIMITED
50
YEAR
WARRANTY

Location:

Limited Warranty. Premier Building Systems hereby warrants that for a period of fifty (50) years, commencing with the date of delivery (the "Warranty Period"), that the Insulation's thermal resistance will not vary by more than ten (10) percent from the R-value at 75°F identified in the R-Shield MAX TechData. If, during the Warranty Period, the Insulation is determined by sampling and testing (conducted as provided below) not to meet warranty value, then Premier Building Systems will either deliver to the owner ("Owner") of the building on which the Insulation was initially installed a quantity of equivalent R-Shield MAX product to replace the non-performing Insulation or, at Premier Building System's sole discretion, refund to the Owner the original purchase price of the non-performing Insulation. Premier Building Systems's maximum liability for any warranty claim shall not exceed the original purchase price of the Insulation.

THE WARRANTY SET FORTH HEREIN IS IN LIEU OF ALL OTHER GUARANTEES AND/OR WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND THIS WARRANTY SHALL NOT BE EXTENDED OR ALTERED EXCEPT BY A WRITTEN INSTRUMENT SIGNED BY PREMIER BUILDING SYSTEMS AND THE OWNER. THERE ARE NO WARRANTIES AND/OR GUARANTEES WHICH EXTEND BEYOND THE TERMS AND PROVISIONS SET FORTH IN THIS WARRANTY.

Conditions. Premier Building System's obligations under this Warranty will only take effect if the Insulation was installed in strict accordance with all applicable R-Shield MAX specifications, recommendations and guidelines which were in effect at the time of such installation and all invoices for the R-Shield MAX have been paid in full. This Warranty shall be void if, in Premier Building System's sole judgment, the Insulation's performance has been impaired by either damage or alterations to the Insulation without obtaining Premier Building System's prior written approval.

Exclusions. Premier Building Systems does not warrant the compatibility of any other product (including but not limited to any roofing membrane or coatings) with the Insulation, and does not assume any liability for any incidental, consequential, exemplary, special or punitive damages, including (but not limited to) incremental heating, cooling or similar costs and any other harm to persons or property.

Sampling and Testing. All sampling shall be conducted in accordance with sampling procedures prescribed by Premier Building Systems, and samples of the Insulation shall only be taken in the presence of an authorized Premier Building Systems representative. Testing of Insulation samples shall be in accordance with ASTM Test Method C518 or C177, or the then closest Premier Building System's approved effective equivalent thereof. Insulation samples shall be conditioned to equilibrium at 73°F/50% RH prior to testing. All sampling and testing costs (including but not limited to costs of Insulation covering removal and replacement) shall be at the Owner's sole expense.